

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD—  
SANTA ANA REGION

6833 INDIANA AVENUE, SUITE 1  
RIVERSIDE, CALIFORNIA 92506  
PHONE: (714) 684-9330

SFUND RECORDS CTR  
2389852



June 28, 1978

Mr. Lester E. Samstag, General Manager  
Vista Metals Corporation  
13425 Whittram Avenue  
Fontana, CA 92335

Dear Mr. Samstag:

This will confirm telephone conversations between yourself and John Zasadzinski of this Board.

Based on previous commitment, no sanitary waste monitoring will be required under Order No. 78-44. This is based also on your stipulation that no industrial or laboratory wastes are being discharged to any subsurface disposal system within your facility.

You apparently overlooked the requirement regarding the liquid waste hauler reports under the Reporting section, Item 3 of the Monitoring and Reporting Program No. 78-44. Copies of these reports should be furnished by the 10th of each month.

Periodic inspections will continue to be made of your operation to verify no discharge of industrial wastes at the site, which is now your normal operating mode. Any deviation from this mode must be promptly reported to this Board.

Your June 1978 liquid waste hauler reports should be available in this office by July 10, 1978. If there are any questions, please feel free to contact this office.

Sincerely,

John M. Zasadzinski  
Senior Engineer

JMZ/ps